

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name:** **BETOCRETE-CP360-WP**
- **Article number:** 206446
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
No further relevant information available.
- **Application of the substance / the mixture** Concrete/Mortar admixtures
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SCHOMBURG GmbH & Co. KG  
Aquafinstr. 2-8  
D-32760 Detmold  
Germany  
-----
- **Informing department:**  
Product Safety Department  
  
Tel: ++49 (0)5231/953-00  
Fax: ++49 (0)5231/953-123  
email: info@schomburg.de  
web: www.schomburg.de
- **Informing department:**  
Product Safety Department  
  
Tel: ++49 (0)5231/953-193  
Fax: ++49 (0)5231/953-106  
email: guido.herfort@schomburg.de

## SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
-  GHS05 corrosion  
Eye Dam. 1 H318 Causes serious eye damage.
-  GHS07  
Skin Irrit. 2 H315 Causes skin irritation.  
STOT SE 3 H335 May cause respiratory irritation.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms** GHS05, GHS07
- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Cement, portland, chemicals  
calcium dihydroxide
- **Hazard statements**  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H335 May cause respiratory irritation.
- **Precautionary statements**  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves / eye protection / face protection.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Contd. on page 2)

Trade name: **BETOCRETE-CP360-WP**

(Contd. of page 1)

P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** mixture of cement and filler materials
- **Dangerous components:**

CAS: 65997-15-1	Cement, portland, chemicals	25-50%
EINECS: 266-043-4	☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 497-19-8	sodium carbonate	25-50%
EINECS: 207-838-8	☠ Acute Tox. 4, H332; Eye Irrit. 2, H319	
CAS: 1305-62-0	calcium dihydroxide	2.5-10%
EINECS: 215-137-3	☠ Eye Dam. 1, H318; ☠ Skin Irrit. 2, H315; STOT SE 3, H335	
- **Additional information** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information**  
Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.  
Personal protection for the First Aider.
- **After inhalation** Supply fresh air or oxygen; call for doctor.
- **After skin contact** Instantly wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water. Then consult doctor.
- **After swallowing**  
Drink copious amounts of water and provide fresh air. Instantly call for doctor.  
Show the pack or the label to the doctor.
- **4.2 Most important symptoms and effects, both acute and delayed**  
No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Product is not inflammable.
- **5.2 Special hazards arising from the substance or mixture**  
No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.
- **Additional information**  
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.  
Follow the emergency-plan.

GB

(Contd. on page 3)

Trade name: **BETOCRETE-CP360-WP**

(Contd. of page 2)

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Wear protective clothing.  
Avoid eye- and skin contact.  
Ensure adequate ventilation  
Avoid causing dust.  
Bring persons out of danger.  
Wear protective equipment. Keep unprotected persons away.
- **6.2 Environmental precautions:** Do not allow product to reach sewage system or water bodies.
- **6.3 Methods and material for containment and cleaning up:**  
Ensure adequate ventilation.  
Pick up the product mechanically, avoid dust formation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

**SECTION 7: Handling and storage**

- **7.1 Precautions for safe handling**  
Use only in well ventilated areas.  
Keep away from children.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Do not leave open containers.
- **Information about storage in one common storage facility:**  
Please follow the rules of the VCI-Storage-Concept for chemicals.
- **Further information about storage conditions:**  
Protect from humidity and keep away from water.  
Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

- **Additional information about design of technical systems:**  
It must be possible to wash the skin in the working area.  
Eye-wash bottle must be available.
- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**
- 65997-15-1 Cement, portland, chemicals (25-50%)**  
WEL Long-term value: 10\* 4\*\* mg/m<sup>3</sup>  
\*inhalable dust \*\*respirable dust
- 557-05-1 zinc stearate (2.5-10%)**  
WEL Short-term value: 20\* mg/m<sup>3</sup>  
Long-term value: 10\* 4\*\* mg/m<sup>3</sup>  
\*inhalable dust \*\*respirable dust
- 1305-62-0 calcium dihydroxide (2.5-10%)**  
WEL Short-term value: 4\* mg/m<sup>3</sup>  
Long-term value: 5 1\* mg/m<sup>3</sup>  
\*resprable fraction
- **Additional information:** The lists that were valid during the compilation were used as basis.

(Contd. on page 4)

**Trade name: BETOCRETE-CP360-WP**

(Contd. of page 3)

- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**  
The usual precautionary measures should be adhered to in handling the chemicals.  
Vacuum clean contaminated clothing. Do not blow or brush off contamination.  
Avoid contact with the eyes and skin.  
Be sure to clean skin thoroughly after work and before breaks.
- **Breathing equipment:** Dust mask.
- **Protection of hands:** Hand Protection: Nitril-rubber-latex-gloves.
- **Material of gloves**  
Butyl rubber II R: Thickness  $\geq 0,5\text{mm}$ ; Break through time  $\geq 480$  min
- **Penetration time of glove material**  
The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Safety glasses
- **Body protection:** Protective work clothing.

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Powder
Colour:	Grey
Smell:	like cement
- **Change in condition**

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	not apply
- **Flash point:** Not applicable
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.
- **Density** not determine
- **Settled apparent density** 0.80 kg/m<sup>3</sup>
- **Solubility in / Miscibility with Water:** miscible
- **Viscosity:**

dynamic:	Not applicable.
kinematic:	Not applicable.
- **9.2 Other information** No further relevant information available.

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 5)

Trade name: **BETOCRETE-CP360-WP**

(Contd. of page 4)

- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **LD/LC50 values that are relevant for classification:**


---

  - 497-19-8 sodium carbonate**
  - Oral LD50 2,800 mg/kg (rats)
  - Dermal LD50 >2,000 mg/kg (rats)
  - Inhalative LC50 2 mg/l (rats)
  - 1305-62-0 calcium dihydroxide**
  - Oral LD50 7,340 mg/kg (rats)
- **Primary irritant effect:**
- **Skin corrosion/irritation**  
Causes skin irritation.
- **Serious eye damage/irritation**  
Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure**  
May cause respiratory irritation.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**


---

  - 497-19-8 sodium carbonate**
  - LC50/96h 300 mg/l (Lepomis macrochius)
  - EC50 24 mg/l (Daphnia magna)
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Smaller quantities can be disposed with household garbage.

(Contd. on page 6)

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 24.01.2019

Version number 29

Revision: 24.01.2019

Trade name: **BETOCRETE-CP360-WP**

(Contd. of page 5)

- **European waste catalogue**
- 17 00 00 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
- 17 01 00 concrete, bricks, tiles and ceramics
- 17 01 07 mixtures of concrete, bricks, tiles and ceramics other than those mentioned in 17 01 06
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.

#### SECTION 14: Transport information

- |  |                 |
|--|-----------------|
| · <b>14.1 UN-Number</b>  | Void            |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void            |
| · <b>14.2 UN proper shipping name</b>  | Void            |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void            |
| · <b>14.3 Transport hazard class(es)</b>   | Void            |
| · <b>ADR, ADN, IMDG, IATA</b>  | Void            |
| · <b>Class</b>   | Void            |
| · <b>14.4 Packing group</b>  | Void            |
| · <b>ADR, IMDG, IATA</b>   | Void            |
| · <b>14.5 Environmental hazards:</b>   | No              |
| · <b>Marine pollutant:</b>   | No              |
| · <b>14.6 Special precautions for user</b>                                       | Not applicable. |
| · <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b> | Not applicable. |
| · <b>UN "Model Regulation":</b>  | Void            |

#### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations**
- **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.
- H335 May cause respiratory irritation.
- **Department issuing data specification sheet:** Environment protection department.
- **Contact:** Mr. Guido Herfort

(Contd. on page 7)

**Trade name: BETOCRETE-CP360-WP**

(Contd. of page 6)

• **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

• **\* Data compared to the previous version altered.**